

# Aesculap Neurosurgery Kerrison Bone Punches



# Kerrison Bone Punches

Jaw position 130°, upward opening



Length	Width	Footplate	Non detachable	Ejector	Detach-able	Ejector	Detachable, Noir® coated	Ejector	Jaw opening
180 mm/7"	1	standard	FF715R	-	FK900R	-	FK900B	-	8 mm
	1	thin	FF771R	-	FK906R	-	FK906B	-	8 mm
	1.5	standard	FF638R	-	FK911R	-	FK911B	-	9 mm
	1.5	thin	FF645R	-	FK923R	-	FK923B	-	9 mm
	1.5	standard	FF647R	-	FK941R	-	FK941B	-	15 mm
	2	standard	FF717R	-	FK901R	✓	FK901B	✓	9 mm
	2	thin	FF772R	-	FK907R	✓	FK907B	✓	9 mm
	2	standard	FF677R	-	FK971R	✓	FK971B	✓	15 mm
	2.5	standard	FF639R	-	FK912R	✓	FK912B	✓	10 mm
	2.5	thin	FF646R	-	FK924R	✓	FK924B	✓	10 mm
	2.5	standard	FF648R	-	FK942R	✓	FK942B	✓	15 mm
	3	standard	FF720R	-	FK902R	✓	FK902B	✓	10 mm
	3	thin	FF773R	-	FK908R	✓	FK908B	✓	10 mm
	3	standard	FF678R	-	FK972R	✓	FK972B	✓	15 mm
	4	standard	FF724R	-	FK903R	✓	FK903B	✓	12 mm
	4	thin	FF769R	-	FK909R	✓	FK909B	✓	12 mm
	4	standard	FF679R	-	FK973R	✓	FK973B	✓	15 mm
	5	standard	FF722R	-	FK904R	✓	FK904B	✓	12 mm
	5	thin	FF770R	-	FK910R	✓	FK910B	✓	12 mm
	5	standard	FF680R	-	FK974R	✓	FK974B	✓	15 mm
6	standard	FF726R	-	FK905R	✓	FK905B	✓	12 mm	
6	standard	FF681R	-	FK975R	✓	FK975B	✓	15 mm	
200 mm/8"	1	thin	FF661R	-	FK961R	-	FK961B	-	8 mm
	1.5	standard	FF649R	-	FK966R	-	FK966B	-	9 mm
	1.5	thin	FF658R	-	FK968R	-	FK968B	-	9 mm
	2	standard	FF737R	-	FK913R	✓	FK913B	✓	9 mm
	2	thin	FF662R	-	FK962R	✓	FK962B	✓	9 mm

**Jaw position 130°, upward opening**



Length	Width	Footplate	Non detachable	Ejector	Detach-able	Ejector	Detachable, Noir® coated	Ejector	Jaw opening
200 mm/8"	2	standard	FF660R	-	FK970R	✓	FK970B	✓	15 mm
	2.5	standard	FF657R	-	FK967R	✓	FK967B	✓	10 mm
	2.5	thin	FF659R	-	FK969R	✓	FK969B	✓	10 mm
	3	standard	FF738R	-	FK914R	✓	FK914B	✓	10 mm
	3	thin	FF663R	-	FK963R	✓	FK963B	✓	10 mm
	3	standard	FF739R	-	FK982R	✓	FK982B	✓	15 mm
	4	standard	FF727R	-	FK915R	✓	FK915B	✓	12 mm
	4	thin	FF664R	-	FK964R	✓	FK964B	✓	12 mm
	4	standard	FF745R	-	FK983R	✓	FK983B	✓	15 mm
	5	standard	FF728R	-	FK916R	✓	FK916B	✓	12 mm
	5	thin	FF665R	-	FK965R	✓	FK965B	✓	12 mm
	5	standard	FF751R	-	FK984R	✓	FK984B	✓	15 mm
	6	standard	FF729R	-	FK917R	✓	FK917B	✓	12 mm
	6	standard	FF753R	-	FK985R	✓	FK985B	✓	15 mm
230 mm/9"	2	standard	FF682R	-	FK919R	✓		✓	9 mm
	2	thin	FF746R	-	FK925R	✓	FK925B	✓	9 mm
	3	standard	FF683R	-	FK920R	✓		✓	10 mm
	3	thin	FF747R	-	FK926R	✓	FK926B	✓	10 mm
	4	standard	FF684R	-	FK921R	✓		✓	12 mm
	4	thin	FF748R	-	FK927R	✓	FK927B	✓	12 mm
	5	standard	FF685R	-	FK922R	✓		✓	12 mm
	5	thin	FF749R	-	FK928R	✓	FK928B	✓	12 mm
280	2	thin	FF666R	-	FK976R	✓	FK976B	✓	9 mm
	3	thin	FF667R	-	FK977R	✓	FK977B	✓	10 mm
	4	thin	FF668R	-	FK978R	✓	FK978B	✓	12 mm
	5	thin	FF669R	-	FK979R	✓	FK979B	✓	12 mm

**Jaw position 130°, downward opening**



Length	Width	Footplate	Non detachable	Ejector	Detach-able	Ejector	Detachable, Noir® coated	Ejector	Jaw opening
180 mm/7"	1	standard	FF711R	-	FK930R	-			8 mm
	1	thin	FF781R	-	FK936R	-			8 mm
	2	standard	FF712R	-	FK931R	✓			9 mm
	2	thin	FF782R	-	FK937R	✓			9 mm
	3	standard	FF713R	-	FK932R	✓			10 mm
	3	thin	FF783R	-	FK938R	✓			10 mm
	4	standard	FF714R	-	FK933R	✓			12 mm
	4	thin	FF784R	-	FK939R	✓			12 mm
	5	standard	FF725R	-	FK934R	✓			12 mm
	5	thin	FF785R	-	FK940R	✓			12 mm
230 mm/9"	2	standard	FF692R	-	FK943R	✓			9 mm
	3	standard	FF693R	-	FK944R	✓			10 mm
	4	standard	FF694R	-	FK945R	✓			12 mm
	5	standard	FF695R	-	FK946R	✓			12 mm

**Jaw position 90°, upward opening**



Length	Width	Footplate	Non detachable	Ejector	Detach-able	Ejector	Detachable, Noir® coated	Ejector	Jaw opening
180 mm/7"	1	standard	FF716R	-	FK948R	-	FK948B	-	8 mm
	2	standard	FF718R	-	FK949R	✓	FK949B	✓	9 mm
	3	standard	FF750R	-	FK950R	✓	FK950B	✓	10 mm
	4	standard	FF752R	-	FK951R	✓	FK951B	✓	12 mm
	5	standard	FF754R	-	FK952R	✓	FK952B	✓	12 mm
	6	standard	FF755R	-	FK953R	✓	FK953B	✓	12 mm



Jaw position 90°, downward opening



Length	Width	Footplate	Non detachable	Ejector	Detach-able	Ejector	Detachable, Noir® coated	Ejector	Jaw opening
180 mm/7"	1	standard	FF741R	-	FK945R	-			8 mm
	2	standard	FF719R	-	FK955R	✓			9 mm
	3	standard	FF721R	-	FK956R	✓			10 mm
	4	standard	FF742R	-	FK957R	✓			12 mm
	5	standard	FF723R	-	FK958R	✓			12 mm
	6	standard	FF743R	-	FK959R	✓			12 mm



Proper Maintenance of instruments



C21711  
Kerrison detachable bone punches



C08502  
Kerrison Noir



C61202  
Kerrison bone punches long Version



C61302  
Kerrison bone punches half sizes



C61402  
Kerrisonbone punches ejector



C81902  
Aesculap Universal Storage System



AESCULAP®

**B | BRAUN**  
SHARING EXPERTISE

**Aesculap AG & Co. KG**

Am Aesculap-Platz  
78532 Tuttlingen  
Germany

Phone +49 7461 95-0  
Fax +49 7461 95-2600

[www.aesculap.de](http://www.aesculap.de)

All rights reserved. Technical alterations are possible. This leaflet may be used for no other purposes than offering, buying and selling of our products. No part may be copied or reproduced in any form. In the case of misuse we retain the rights to recall our catalogues and pricelists and to take legal actions.